

INDEX

- Abies nobilis*, 420
Acer beckianum, 169-170
— *olearyi*, 170-171
— *puratanum*, 166-169
Acerinum, 167
Aceroxylon, 167
Acropyle and *Podocarpus dacrydioides*,
Aberration in. Coniferous Pollen Types
of the Southern Hemisphere, I, 416
Acropyle pancheri, 417
Adinandra from the Celebes, A New
Species of. Studies in the Theaceae,
XXXI, 112
Adinandra eymae, 112-113
— *montana*, 270
— *scandens*, 270
— *urdanatis*, 268
Adinandrella congolensis, 82
Aeschynomene, Fibers in the Secondary
Xylem of, 442
Aeschynomene cf. *aspera*, 442
— *hispida*, 442
— *sensitiva*, 443
Aesculus hankinsii, 349
Agarista, 39
Agave intermixta, 133
Albizzia vantagiensis, 178-180
Albizzioxylon, 180
Allotropa, 65
Ammyrsine, 27
Ampelothamnus, 52
Amphania, 81
Anaesthaphia oligantha, 137
— *paucifloscula*, 137
ANDRESEN, JOHN W. and JOHN H. BEA-
MAN. A New Species of *Pinus* from
Mexico, 437
Andromeda, 25
— sect. *Maria*, 48
Aneuploid series, *Downingia*, 257
— — *Viburnum*, 162
Anthurium, 141
Apin, 273
Arana, 266
Arbutus, 61
Arctericia, 52
Arctostaphylos, 61
Arsenococcus, 48
Artocarpus, 179
Astereae, Leaf and Nodal Anatomy of
Some Andean Compositae-, 276
Aylacophora deserticola, 282
Azalea, 30
Azaleastrum, 30
Babara, 436
BAILEY, I. W. Comparative Anatomy of
the Leaf-bearing Cactaceae, II. Struc-
ture and Distribution of Sclerenchyma
in the Phloem of *Pereskia*, *Peresklopsis*
and *Quiabentia*, 144; III. Form and
Distribution of Crystals in *Pereskia*,
Peresklopsis and *Quiabentia*, 334
Baletis, 267
Barañoi, 266
BARGHOORN, ELSO S. and U. PRAKASH.
Miocene Fossil Woods from the Co-
lumbia Basalts of Central Washington,
165; II, 347
Batodendron, 69
Batohan-no-mahingtig, 271
BEAMAN, JOHN H. and JOHN W. ANDRE-
SEN. A New Species of *Pinus* from
Mexico, 437
Befaria, 18-20
— sect. *Racemosae*, 19
Bejaria, 19
Betula, 167
Bibliography, Ivan Murray Johnston, 4
Bigag, 271
Bikag, 271
Biltia, 30
Black apple, 436
Blueberry, 69
Boalau, 271
Botanical Results of the U. S. Commis-
sion of Inquiry to Santo Domingo in
1871, The, 115
Botryostege, 22
BRIZICKY, GEORGE K. The Genera of
Turneraceae and Passifloraceae in the
Southeastern United States, 204
BRIZICKY, GEORGE K. The Genera of
Violaceae in the Southeastern United
States, 321
BRIZICKY, GEORGE K. A Synopsis of the
Genus *Columellia* (Columelliaceae), 363
BRUMMEL, H., 115
Buckwheat tree, 101
Buxella, 77
Cactaceae, Comparative Anatomy of the
Leaf-bearing, II. Structure and Distri-
bution of Sclerenchyma in the Phloem

- of *Pereskia*, *Pereskopsis* and *Quiabentia*, 144; III. Form and Distribution of Crystals in *Pereskia*, *Pereskopsis* and *Quiabentia*, 334
- Campanulaceae, 219
- Cannabis*, 377
- Cardiospermum*, 297
- Carya*, 351
- *tertiara*, 176–178
- Cassandra*, 54–56
- Caytonanthus arberi*, 420
- Celtis*, 187
- Celtoxylon*, 187
- Cercidiphyllum*, 176
- Cestrum diurnum*, 138
- Chamaedaphne*, 54
- Chaptalia membranacea*, 137
- *primulacea*, 137
- Chiliophyllum densifolium*, 282
- *fuegianum*, 282
- Chilotrichiopsis keidelii*, 282
- *ledifolia*, 282
- Chilotrichium diffusum*, 282
- *rosamarinifolium*, 282
- Chimaphila*, 61–62
- Chiogenes*, 42
- Cladothamnus*, 22
- Clethra*, 20, 103–106
- sect. *Clethra*, 104
- sect. *Cuellaria*, 104
- sect. *Euclethra*, 104
- ser. *Alnifoliae*, 104
- Clethraceae of the Southeastern United States, The Genera of the Cyrillaceae and, 96
- Cleyera japonica montana*, 270
- Cliftonia*, 101–102
- Coccoloba*, Studies in the Genus, X. New Species and A Summary of Distribution in South America, 87; XI. Notes on the Species in Asia, 107
- Coccoloba achrostichoides*, 94
- *acuminata*, 94
- *adpressa*, 107
- *alagoensis*, 94
- *alnifolia*, 94
- *arborescens*, 94
- *argentinensis*, 94
- *asiatica*, 107
- *australis*, 107
- *bolivarana*, 89
- *brasiliensis*, 94
- *caracasana*, 95, 109
- *cerifera*, 94
- *charitostachya*, 95
- *chita*, 107
- *colombiana*, 88–89
- Coccoloba conduplicata*, 95
- *confusa*, 94
- *cordata*, 94
- *coronata*, 95
- *crispata*, 108
- *cruegeri*, 94
- *cujabensis*, 94
- *cymosa*, 108
- *declinata*, 94
- *densifrons*, 94
- *dubia*, 108
- *duckei*, 89
- *dugandiana*, 95
- *excelsa*, 95
- *fagifolia*, 95
- *fallax*, 95
- *fastigiata*, 95
- *filipes*, 95
- *gardneri*, 95
- *glaziovii*, 94
- *grandiflora*, 94
- *gymnorrhachis*, 95
- *ilheensis*, 94
- *indica*, 108
- *laevis*, 94
- *lanceolata*, 94
- *latifolia*, 94
- *laurifolia*, 95
- *lehmannii*, 95
- *lepidota*, 94
- *llewelynii*, 89–90
- *longipes*, 94
- *lucidula*, 95
- *marginata*, 94
- *meissneriana*, 94
- *mollis*, 94
- *mosenii*, 95
- *nitida*, 95
- *obovata*, 95
- *obtusifolia*, 95
- *ochreolata*, 94
- *orinocana*, 90
- *ovata*, 94
- *padiformis*, 95
- *paraguariensis*, 94
- *parimensis*, 94
- *peltata*, 95
- *persicaria*, 94
- *peruviana*, 94
- *pipericarpa*, 94
- *plantaginea*, 94
- *platyclada*, 108–109
- *portuguesana*, 90–91
- *ramosissima*, 94
- *rigida*, 95
- *rosea*, 94
- *ruiziana*, 95

- Coccoloba salicifolia*, 95
 — *savannarum*, 95
 — *schomburgkii*, 94
 — *schwackeana*, 95
 — *sparsifolia*, 94
 — *spinescens*, 94
 — *spruceana*, 94
 — *steinbachii*, 91
 — *sticticaulis*, 94
 — *striata*, 95
 — *swartzii*, 95
 — *tiliacea*, 94
 — *totnea*, 109
 — *trianaei*, 95
 — *uvifera*, 95, 109
 — *venosa*, 95
 — *warmingii*, 94
 — *wurdackii*, 91–92
 — *zuliana*, 92
Columbia Basalts of Central Washington, Miocene Fossil Woods from the, 165; II, 347
Columellia (Columelliaceae), A Synopsis of the Genus, 363
Columellia andrei, 369
 — *arborescens*, 366
 — *frutescens*, 370
 — *lucida*, 369
 — *mathewsii*, 368
 — *oblonga*, 366–369
 — — *oblonga*, 366
 — — *sericea*, 368
 — — *serrata*, 367
 — *obovata*, 370–371
 — *sericea*, 368
 — *serrata*, 367
 — *subsessilis*, 369–370
 — *weberbaueri*, 370
 Columelliaceae, 363
 Commission of Inquiry to Santo Domingo in 1871, The Botanical Results of the U.S., 115
Comocladia acuminata, 136
 — *cuneata*, 136
 Comparative Anatomy of the Leaf-bearing Cactaceae, II. Structure and Distribution of Sclerenchyma in the Phloem of *Pereskia*, *Pereskopsis* and *Quiabentia*, 144; III. Form and Distribution of Crystals in *Pereskia*, *Pereskopsis* and *Quiabentia*, 334
 Compositae–Astereae, Leaf and Nodal Anatomy of Some Andean, 276
 Coniferous Pollen Types of the Southern Hemisphere, I. Aberration in *Acmopyle* and *Podocarpus dacrydioides*, 416
Coprosma macrocarpa, 420
Cordaianthus, 420
 Correct Names for “*Diospyros ebenaster*,” The, 430
 Cranberry, 69
 CRANWELL, LUCY M. Coniferous Pollen Types of the Southern Hemisphere, I. Aberration in *Acmopyle* and *Podocarpus dacrydioides*, 416
Crossotheca, 416
Cryptophila, 64
 Crystals in *Pereskia*, *Pereskopsis* and *Quiabentia*, Form and Distribution of. Comparative Anatomy of the Leaf-bearing Cactaceae, III, 334
 Cultivated Species of *Viburnum*, The Cytology of Some, 157
Cuphea micrantha, 141
Cyanococcus, 69
Cyrilla, 98–100
 Cyrillaceae and Clethraceae of the Southeastern United States, The Genera of the, 96
 Cyrillaceae, 96–98, 110
 Cytology of Some Cultivated Species of *Viburnum*, The, 157

Dacrydium cupressinum, 418
Daphnopsis, 299, 374
 — subg. *Neivira*, 374
Davidia, 354
Debaak, 271
Decachaena, 77
 Deerberry, 69
Dendrium, 27
Desmothamnus, 48
 “*Diospyros ebenaster*,” The Correct Names for, 430
Diospyros brasiliensis, 432
 — *digyna*, 434
 — *ebenaster*, 430, 432
 — *laurifolia*, 434
 — *membranacea*, 434
 — *nigra*, 434
 — *obtusifolia*, 434
 — *revoluta*, 431, 434
 — *sapota*, 434
 — *sapotanigra*, 434
 — *tetrasperma*, 436
 — *washingtoniana*, 171–172
 Director’s Report, The. Arnold Arboretum During the Fiscal Year Ended June 30, 1961, 447
Downingia (Campanulaceae), A Study of Hybridization in, 219
Downingia bicornuta bicornuta, 226
 — — *picta*, 227
 — — var., 230

- Downingia concolor brevior, 232
 — — concolor, 231
 — cuspidata, 233
 — elegans brachypetala, 234
 — insignis, 236
 — — × pulchella, 246
 — laeta, 243
 — ornatissima, 238
 — pulchella, 241
 — pusilla, 245
 — willamettensis, 236
 — yina major, 236
 Drypetes incurva, 141
 Dupinia, 81
- Eaton, D. C., 125
 Ebenoxylon, 172
 Elliottia, 20–23
 Enkleia (Thymelaeaceae), A Revision of
 the Asiatic Genus, 373
 Enkleia, 295, 320, 384–385
 — coriacea, 388
 — malaccensis, 388–391
 — malayana, 388
 — paniculata, 385–388
 — riouwensis, 388
 — siamensis, 391–393
 — — andamanica, 395
 — — siamensis, 393
 — thorelii, 395–396
 — zippeliana, 385
 Epigaea, 58–60
 Erica, 11
 Ericaceae in the Southeastern United
 States, The Genera of, 10
 Ericaceae, 10–17
 — subfam. Arbutoideae, 12
 — subfam. Ericoideae, 18
 — subfam. Monotropeoideae, 64
 — subfam. Pyroloideae, 12
 — subfam. Rhododendroideae, 12
 — subfam. Vaccinioideae, 69
 — tribe Andromedeae, 38
 — tribe Monotropeae, 64
 — tribe Oxydendreae, 58
 — tribe Pyroleae, 61
 — tribe Rhodoreae, 18
 — tribe Vaccinieae, 69
 Ernodea pungens, 138
 Erxlebenia, 63
 Erythrochiton, 81
 Eubotrys, 39
 Euptelea, 183
- Fagopyrum cymosum, 108
 Fagus, 183
 False mangosteen, 433
- Fibers in the Secondary Xylem of Aescynomene, 442
 Fischeria, 27
 Floral Morphology and Relationships of
 Kingdonia uniflora, The, 397
 Fossil Woods from the Columbia Basalts
 of Central Washington, Miocene, 165;
 II, 347
 FOSTER, ADRIANCE S. The Floral Mor-
 phology and Relationships of King-
 donia uniflora, 397
 Fuldaesporites, 420
- Garamansatai, 271
 Gaultheria, 42–45
 — sect. Amblyandra, 42
 — sect. Brossaeopsis, 42
 — sect. Eugaultheria, 42
 — sect. Gaultheria, 42
 — ser. Hispidulae, 43
 — ser. Procumbentes, 42
 Gaylussacia, 77–80
 — sect. Decachaena, 78
 — sect. Decamerium, 78
 — sect. Eulussacia, 77
 — sect. Gaylussacia, 77
 — sect. Vitis-Idaea, 78
 Genera of the Cyrillaceae and Clethraceae
 of the Southeastern United States, The,
 96
 Genera of Ericaceae in the Southeastern
 United States, The, 10
 Genera of Turneraceae and Passifloraceae
 in the Southeastern United States, The,
 204
 Genera of Violaceae in the Southeastern
 United States, The, 321
 Gleditsia columbiana, 180–182
 Gnidia sericea, 310
 Gochnatia oligantha, 137
 Gray, Asa, 123
 Guettarda preneloupii, 141
 Gymnocladus, 181
- Heath Family, 10
 Herpothamnus, 69
 Hindang, 266
 Hoferia, 81
 Homalocladium, 109
 HOWARD, RICHARD A. The Botanical Re-
 sults of the U.S. Commission of Inquiry
 to Santo Domingo in 1871, 115
 HOWARD, RICHARD A. The Correct Names
 for "Diospyros ebenaster," 430
 HOWARD, RICHARD A. The Director's Re-
 port, 447

- HOWARD, RICHARD A. Ivan Murray Johnston, 1898-1960, 1
- HOWARD, RICHARD A. Studies in the Genus *Coccoloba*, X. New Species and a Summary of Distribution in South America, 87; XI. Notes on the Species in Asia, 107
- Huckleberry, 77
- Hugeria, 69
- Hybanthus, 323-324
- Hybridization in *Downingia* (Campanulaceae), A Study of, 219
- Hymenanthus, 30
- Hypopitys, 67
- Illinites, 420
- Indian pipe, 67
- Isodorea pungens, 138
- Isotoma axillaris, 223
- Isotropic bodies, 337
- Ivan Murray Johnston, 1898-1960, 1
- Johnston, Ivan Murray, 1898-1960, 1
- Juglandinium, 351
- Juglandoxylon, 351
- Juglans fryxellii, 350
- Juglexylon, 351
- Kalmia, 23-26
- Kalmiella, 24
- Kalmiopsis, 26
- Kingdonia uniflora, The Floral Morphology and Relationships of, 397
- KOBUSKI, CLARENCE E. Studies in the Theaceae, XXX. The African Species of *Ternstroemia*, 81; XXXI. A New Species of *Adinandra* from the Celebes, 112; XXXII. A Review of the Genus *Ternstroemia* in the Philippine Islands, 263; XXXIII. Variation in the Fruit of *Ternstroemia kwangtungensis*, 426
- Lasiococcus, 77
- Lasiosiphon scandens, 388
- Leaf and Nodal Anatomy of Some Andean Compositae-Astereae, 276
- Leatherwood, 98
- Ledum, 23, 30
- sect. *Leiophyllum*, 27
- Leguminoxylon, 180
- occidentale, 352
- Leiophyllum, 26-28
- Lepidophyllum cupressiformis, 282
- Leucothoë, 38-41
- sect. *Acranthes*, 40
- sect. *Agastia*, 40
- sect. *Eubotryoides*, 40
- sect. *Leucothoë*, 40
- sect. *Maria*, 48
- sect. *Oligarista*, 40
- sect. *Paraleucothoë*, 40
- Linostoma (Thymelaeaceae), A Revision of the Asiatic Genus, 295
- Linostoma, 306-307, 373
- sect. *Eulinostoma*, 306
- sect. *Lophostoma*, 320
- sect. *Psilaea*, 318
- subg. *Linostoma*, 320, 384
- subg. *Nectandra*, 307
- *albifolium*, 320
- *andamanicum*, 320, 395
- *calophylloides*, 320
- *decandrum*, 307-311
- *dinizii*, 320
- *incertae sedis*, 319
- *leucodipterum*, 313
- *longiflorum*, 313
- *pauciflorum*, 313-318
- *persimile*, 311-313
- *scandens*, 320, 388
- — *cambodianum*, 320, 393
- *siamense*, 320, 391
- *thorelii*, 320, 395
- Liquidambar styraciflua, 175-176
- Liquidambaroxylon, 176
- Llanosia, 81
- *toquian*, 271
- Lobelia, 225
- Loiseleuria, 25
- Lophostoma, 295, 320, 373
- *albifolium*, 320
- *calophylloides*, 320
- *dinizii*, 320
- Lyonia, 47-51
- sect. *Lyonia*, 50
- sect. *Maria*, 48
- sect. *Pieridopsis*, 48
- subg. *Maria*, 48
- Macgregorianthus paniculatus, 385
- Malapuyau, 271
- Malpighia domingensis, 135
- Menziesia, 28-30
- Micranthemum, 139
- Microcachrys, 418
- Miocene Fossil Woods from the Columbia Basalts of Central Washington, 165; II, 347
- Mitchella, 54
- Mokofua, 81
- Moneses, 63
- Monotropa, 66-69
- sect. *Eumonotropa*, 67

- Monotropa* sect. *Hypopitys*, 67
 — sect. *Monotropa*, 67
Monotropaceae, 11
Monotropastrum, 65
Monotropsis, 64–66
Muehlenbeckia adpressa, 107
 — *australis*, 107
 — *platyclada*, 109

Nardophyllum armatum, 282
 — *bracteolatum*, 282
 — *bryoides*, 282
 — *chiliotrichioides*, 282
 — *genistoides*, 282
 — *lanatum*, 282
Nectandra decandra, 307
Neopieris, 48
 NEVLING, LORIN I., JR. A Revision of the Asiatic Genus *Enkleia* (*Thymelaeaceae*), 373
 NEVLING, LORIN I., JR. A Revision of the Asiatic Genus *Linostoma* (*Thymelaeaceae*), 295
 New Species of *Pinus* from Mexico, A, 437
Nyssa eydei, 353
Nyssonoxylon, 354

 Oak, red, 173
 Oak, white, 173
Orphanidesia, 59
Oxycoccus, 69
Oxydendrum, 56–60

Palilag, 273
Pamintugon, 266
Pantza, 368
Parastrephia lepidophylla, 282
 — *lucida*, 282
 — *phyliciformis*, 282
 — *quadrangularis*, 282
 — *teretiuscula*, 282
 Parry, C. C., 115
Passerina filiformis, 378
Passiflora, 211–218
 — subg. *Apodogyne*, 212
 — subg. *Dysosmia*, 214
 — subg. *Granadilla*, 214
 — subg. *Passiflora*, 214
 — subg. *Plectostemma*, 212
Passifloraceae in the Southeastern United States, The Genera of *Turneraceae* and, 204
 Passion-flower, 212
Peperomia serpens, 140
 Pepperbush, sweet, 104
Pereskia, *Pereskiaopsis* and *Quiabentia*, Structure and Distribution of Sclerenchyma in the Phloem of. Comparative Anatomy of the Leaf-bearing *Cactaceae*, II, 144
Pereskia, *Pereskiaopsis* and *Quiabentia*, Form and Distribution of Crystals in. Comparative Anatomy of the Leaf-bearing *Cactaceae*, III, 334
Pernettya, 44
Phaleria, 374
Pherosphaera, 418
 Phloem of *Pereskia*, *Pereskiaopsis* and *Quiabentia*, Structure and Distribution of Sclerenchyma in the. Comparative Anatomy of the Leaf-bearing *Cactaceae*, II, 144
Phoradendron cerinocarpum, 140
Phyllocladus, 418
Phyllodoce, 25
Pieris, 51–54
 — sect. *Maria*, 48
Pimelea, 313
 — *prostrata*, 381
 Pine-sap, 67
 Pine-sap, sweet, 65
Pinus from Mexico, A New Species of, 437
Pinus culminicola, 437–440
Piper hispaniolae, 140
 — *jacquemontanum*, 140
 — *parryanum*, 140
Piriqueta, 206–208
Pityopus, 65
Pityosporites, 416
Plataninium, 184
Platanoxylon, 184
Platanus americana, 182–185
Podocarpus dacrydioides, Aberration in *Acmopyle* and. Coniferous Pollen Types of the Southern Hemisphere, I, 416
 Pollen Types of the Southern Hemisphere, Coniferous, I. Aberration in *Acmopyle* and *Podocarpus dacrydioides*, 416
Polycodium, 69
Polygonum chinense, 107
 — — *ovalifolium*, 108
 — — *thunbergiana*, 108
 — *cymosum*, 108
 — *molle*, 109
 — *paniculatum*, 109
Porterella carnulosa, 223, 258
 PRAKASH, U. Fibers in the Secondary Xylem of *Aeschynomene*, 442
 PRAKASH, U. and ELSON S. BARGHOORN. Miocene Fossil Woods from the Co-

- lumbia Basalts of Central Washington, 165; II, 347
 Psilaea, 318
 — dalbergioides, 318
 Pterocarya, 351
 Pterospora, 65
 Purdiaea (Cyrillaceae) from Central America, Schizocardia belizensis: A Species of, 110
 Purdiaea belizensis, 110
 — cubensis, 111
 — nipensis, 111
 — nutans, 111
 Pyrola, 62-64
 Pyrolaceae, 11

 Quercinium, 174
 Quercoxylon, 174
 Quercus leuca, 172-175
 — sahnii, 347
 Quiabentia, Structure and Distribution of Sclerenchyma in the Phloem of Pereskia, Pereskopsis and. Comparative Anatomy of the Leaf-bearing Cactaceae, II, 144
 Quiabentia, Form and Distribution of Crystals in Pereskia, Pereskopsis and. Comparative Anatomy of the Leaf-bearing Cactaceae, III, 334
 Quinoa blanca, 368

 Ramischia, 63
 Red oak, 173
 Reinwardtia, 81
 Revision of the Asiatic Genus Enkleia (Thymelaeaceae), A, 373
 Revision of the Asiatic Genus Linostoma (Thymelaeaceae), A, 295
 Rhacoma gonoclada, 133
 Rhodococcus, 69
 Rhododendron, 30-38
 — sect. Anthodendron, 34
 — sect. Brachycalyx, 33
 — sect. Leipipherum, 31
 — sect. Leiorhodium, 31
 — sect. Pentanthera, 34
 — sect. Ponticum, 31
 — sect. Rhododendron, 31
 — sect. Rhodora, 33
 — sect. Sciadorhodium, 34
 — sect. Tsutsia, 33
 — sect. Tsutsusi, 33
 — sect. Tsutsutsi, 33
 — subg. Anthodendron, 33
 — subg. Azalea, 33
 — subg. Azaleastrum, 34
 Rhododendron subg. \times Azaleodendron, 35
 — subg. Eurhododendron, 31
 — subg. Rhododendron, 31
 Rhodora, 30
 Rodothamnus, 26

 Sand-myrtle, 27
 Sangnauan, 269
 Sapota nigra, 434
 Sapote negro, 430
 Sarcodes, 65
 Schefflera caudatifolia, 297
 Schizocardia belizensis: A Species of Purdiaea (Cyrillaceae) from Central America, 110
 SCHWARTEN, LAZELLA. Bibliography, Ivan Murray Johnston, 4
 Schweinitzia, 64
 Sclerenchyma in the Phloem of Pereskia, Pereskopsis and Quiabentia, Structure and Distribution of. Comparative Anatomy of the Leaf-bearing Cactaceae, II, 144
 Serjania sinuata, 135
 Simbinuluka, 271
 SOLBRIG, OTTO T. Leaf and Nodal Anatomy of Some Andean Compositae-Astereae, 276
 Sorrel-tree, 58
 Sourwood, 58
 Spherocrystals, 337
 Staff of the Arnold Arboretum 1960-1961, 468
 Studies in the Genus Coccoloba, X. New Species and a Summary of Distribution in South America, 87; XI. Notes on the Species in Asia, 107
 Studies in the Theaceae, XXX. The African Species of Ternstroemia, 81; XXXI. A New Species of Adinandra from the Celebes, 112; XXXII. A Review of the Genus Ternstroemia in the Philippine Islands, 263; XXXIII. Variation in the Fruit of Ternstroemia kwangtungensis, 426
 Study of Hybridization in Downingia (Campanulaceae), A, 219
 Sweet pepperbush, 104
 Sweet pine-sap, 65
 Synopsis of the Genus Columellia (Columelliaceae), A, 363

 Tabak, 271
 Taonabo, 81
 — toquian, 271
 Tapmis, 273

- Taxodium ascendens, 52
 Ternstroemia, The African Species of. Studies in the Theaceae, XXX, 81
 Ternstroemia kwangtungensis, Variation in the Fruit of. Studies in the Theaceae, XXXIII, 426
 Ternstroemia in the Philippine Islands, A Review of the Genus. Studies in the Theaceae, XXXII, 263
 Ternstroemia, 264-265
 — sect. Adinandrella, 85
 — sect. Erythrochiton, 82
 — sect. Ternstroemia, 82
 — africana, 82-84
 — epiphytica, 269
 — gitingensis, 273
 — kwangtungensis, 428-429
 — lobbiana, 271
 — megacarpa, 267
 — meridionalis, 264
 — obovata, 273
 — patens, 428
 — philippinensis, 265
 — — megacarpa, 267-268
 — — philippinensis, 265-267
 — polypetala, 84-86
 — subtundifolia, 428
 — toquian, 270-273
 — urdanatensis, 268-270
 Theaceae, Studies in the, XXX. The African Species of Ternstroemia, 81; XXXI. A New Species of Adinandra from the Celebes, 112; XXXIII. A Review of the Genus Ternstroemia in the Philippine Islands, 263; XXXIII. Variation in the Fruit of Ternstroemia kwangtungensis, 426
 THOMAS, JOAB L. The Cytology of Some Cultivated Species of Viburnum, 157
 THOMAS, JOAB L. The Genera of the Cyrillaceae and Clethraceae of the Southeastern United States, 96
 THOMAS, JOAB L. Schizocardia belizensis: A Species of Purdiaea (Cyrillaceae) from Central America, 110
 Thymelaeaceae, 295, 373
 — subtribe Linostomatinae, 295, 373
 Titi, 58, 98
 Tokian, 271
 Tonabea, 81
 Trailing arbutus, 59
 Tripetaleia, 22
 Trisaccites, 420
 Tsoquetullu, 370
 Tsusiophyllum, 30
 Turnera, 208-209
 Turneraceae and Passifloraceae in the Southeastern United States, The Genera of, 204
 Ullus, 370
 Ulminium, 187
 Ulmoxylon, 187
 Ulmus, 187
 — baileyana, 354
 — miocenica, 185
 — pacifica, 188-189
 Ulux, 370
 Uluxia, 363
 Usluss, 370
 Vacciniaceae, 11
 Vaccinium, 69-77
 — sect. Myrtillus, 70
 — sect. Vaccinium, 70
 — sect. Vitis-Idaea, 70
 — subg. Batodendron, 70
 — subg. Cyanococcus, 71
 — subg. Euvaccinium, 70
 — subg. Herpothamnus, 70
 — subg. Oxycoccoides, 72
 — subg. Oxycoccus, 72
 — subg. Polycodium, 70
 — subg. Vaccinium, 70
 — forrestii, 51
 Viburnum, The Cytology of Some Cultivated Species of, 157
 Viola, 324-333
 — sect. Chamaemelanium, 326
 — sect. Melanium, 328
 — sect. Nomimium, 326
 — sect. Nosphinium, 325
 — sect. Plagiostigma, 326
 — sect. Rostellatae, 328
 — sect. Viola, 328
 — subsect. Blandae, 327
 — subsect. Boreali-Americanae, 327
 — subsect. Canadenses, 326
 — subsect. Nudicaules, 326
 — subsect. Orbiculares, 326
 — subsect. Pedatae, 327
 — subsect. Primulifoliae, 327
 — subsect. Tricolores, 328
 Violaceae in the Southeastern United States, The Genera of, 321
 Voelckeria, 81
 White Alder Family, 102
 White oak, 173
 Wikstroemia, 387
 Wintergreen, 61
 WOOD, CARROLL E., JR. The Genera of

- Ericaceae in the Southeastern United States, 10
- WOOD, CARROLL E., JR. A Study of Hybridization in *Downingia* (Campanulaceae), 219
- Wright, Charles, 115
- Xolisma, 48
— sect. *Maria*, 48
- Zelkova, 187
- Zenobia, 45–47
- Zocetullu, 370